


**RECOMMENDED SPARE PARTS: 1500 Series Safety Valves
 (1555-1556-1557-1558)**

IMPORTANT

Replacement Valve is the model 2700 series. Parts are available on a limited basis in the 60 degree design only.

PART NAME	Quantity Parts/ Same Size, Type (Minimum)	Quantity Parts/ Same Size, Type (Maximum)	Predicted Availability
CLASS I			
1. 60 deg Thermodisc	1/6	1/4	70%
1a. Disc Locking Pin	1/3	1/1	
1b. Disc Nut	1/3	1/1	
2. Disc Holder	1/3	1/1	
3. Adj. Ring Pin	1/6	1/4	
CLASS II			
4. Spindle Assy.	1/10	1/6	85%
5. Adjusting Ring	1/10	1/6	
6. Floating Washer	1/6	1/4	
CLASS III			
9. Seat Bushing	consult factory		95%
10. Guide Assy.	1/6	1/4	
11. Spring Assy.	1/10	1/6	
12. Compression Screw	1/6	1/4	
CLASS IV			
13. Comp. Retaining Ring	1/15	1/10	99%
14. Comp. Screw Lock Nut	1/10	1/6	
15. Cap Assy.	1/15	1/10	
16. Release Nut	1/15	1/10	
17. Top Lever Assy.	1/15	1/10	
18. Drop Lever Assy.	1/15	1/10	



SIZE	TYPE	ORIFICE DESIGNATION	BORE DIAMETER	PRESSURE RANGE NUMBER	MAXIMUM OPERATING PRESSURE PSIG
1-1/2	1555	H	1.3125 1-5/16	5	600
	1556	H	1.3125 1-5/16	6	900
2	1555	J	1.625 1-5/8	5	600
	1556	J	1.625 1-5/8	6	900
2-1/2	1555	K	2.000 2	5	600
	1556	K	2.000 2	6	900
3	1555	L	2.500 2-1/2	5	600
	1556	L	2.500 2-1/2	6	900
4	1555	P	3.625 3-5/8	5	600
	1556	P	3.625 3-5/8	6	900
	1558	J	1.625 1-5/8	8	2000

1557 - 1200# Design

2	1557	H	1.3125 1-5/16	7	1200
2-1/2	1557	J	1.625 1-5/8	7	1200
3	1557	K	2.000 2	7	1200
4	1557	L	2.500 2-1/2	7	1200

1557 - 1500# Design

1-1/2	1557	F	0.875 7/8	7	1500
2	1557	G	1.000 1	7	1500
2-1/2	1557	H	1.3125 1-5/16	7	1500
3	1557	J	1.625 1-5/8	7	1500

MAXIMUM OPERATING TEMP. IN DEGREES FAHRENHEIT.	A	B	C	D
	650°	750°	900°	1000°

Valve Types: 1555-56 RA, RB, RC, & RD were supplied with Thermodisc

Valve Types: 1557HRA, HRB, HRC, & HRD are 1200# Design in H, J, K, L Orifices

Valve Types: 1557 RA, RB, RC, & RD are 1500# in F, G, H, J Orifices

SAFETY VALVE SPARE PARTS REFERENCE LIST
Size and Type: 1 - 1/2" 1555 - 1556H
60 degree Seat design

PART DESCRIPTION	DESIGN	Temperature Class			
		A PART NO.	B PART NO.	C PART NO.	D PART NO.
Retrofit Kit to 60 degree seat					
One Piece Solid or Three Piece Solid disc		Kit1500H03		KIT1500H04	
Three Piece Thermodisc				KIT1500H01	
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 deg Thermodisc (1)	6TDD			4384701	
1a. Disc Locking Pin	6TDD			0083556	
1b. Disc Nut	6TDD	0087175		CONSULT FACTORY	
2. Disc Holder	6TDD	0091907			
3. Adj. Ring Pin	6TDD			0080606	
CLASS II					
6. Spindle Assy.	6TDD			0087617	
7. Adjusting Ring	6TDD	0080605		0080609	
8. Floating Washer	TDD			0092012	
CLASS III					
9. Seat Bushing	6TDD			CONSULT FACTORY	
10. Guide Assy.	6TDD			1210003	
11. Spring Assy. (2)	6TDD			Select From Spring Chart	
12. Compression Screw	6TDD			0087650	
CLASS IV					
13. Comp. Retaining Ring	6TDD			0087651	
14. Comp. Screw Lock Nut	6TDD			0089334	
15. Cap Assy.	6TDD			0080607	
16. Release Nut	6TDD			0079530	
17. Top Lever Assy.	6TDD			0076752	
18. Drop Lever Assy.	6TDD			0074562	
17. Release Nut	6TDD			0081438	
18. Top Lever	6TDD			0076812	
19. Drop Lever	6TDD			0076837	
20. Top Lever Pin	6TDD			2040101	
21. Drop Lever Pin	6TDD			0077236	

NOTE: (1) When replacing disc, locking pin and disc nut must be replaced too.
NOTE: (2) Must be purchased with fitted washer.

SAFETY VALVE SPARE PARTS REFERENCE LIST
Size and Type: 2" 1555 - 1556J

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
One Piece Solid or Three Piece Solid disc		KIT1500J05	KIT1500J06		
Three Piece Thermodisc		KIT1500J01	KIT1500J02		
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I (Note)					
1. 60 deg Thermodisc (1)	6TDD	4384801			
1a. Disc Locking Pin	6TDD	0084825			
1b. Disc Nut	6TDD	0086636			
2. Disc Holder	6TDD	0091906			
3. Adj. Ring Pin	6TDD	0080606			
CLASS II					
4. Spindle Assy.	6TDD	0087618			
5. Adjusting Ring	6TDD	0083401	0083400		
CLASS III	6TDD				
8. Seat Bushing		consult factory			
9. Guide Assy.	6TDD	1210003	1220002		
10. Spring Assy. (2)	6TDD	Select From Spring Chart			
11. Top Washer	6TDD	0087652			
12. Bottom Washer	6TDD	0080076			
13. Comp. Retaining Ring	6TDD	0089335			
CLASS IV					
14. Compression Screw	6TDD	0080303			
15. Comp. Screw Lock Nut	6TDD	0079531			
16. Cap	6TDD	0078518			
17. Cap Set Screw	6TDD	0074562			
18. Release Nut	6TDD	0079745			
19. Top Lever	6TDD	0076813			
20. Drop Lever	6TDD	0076814			
21. Top Lever Pin	6TDD	2040105			
22. Drop Lever Pin	6TDD	0077236			

NOTE: (1) When replacing disc, locking pin and disc nut must be replaced too.

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST
 Size and Type: 2-1/2" 1555 - 1556K

PART DESCRIPTION	DESIGN	Temperature Class			
		A PART NO.	B PART NO.	C PART NO.	D PART NO.
Retrofit Kit to 60 degree seat					
One Piece Solid or Three Piece Solid disc		KIT1500K03	KIT1500K04		
Three Piece Thermodisc		KIT1500K01	KIT1500K02		
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree thermodisc (1)	6TDD	4384901			
1a. Disc Locking Pin	6TDD	0085869			
1b. Disc Lock Nut	6TDD	0085868			
2. Disc Holder	6TDD	0091940			
3. Adj. Ring Pin	6TDD	0080301			
CLASS II					
6. Spindle Assy.	6TDD	0087619			
7. Adj. Ring	6TDD	0080299	0080300		
CLASS III					
8. Seat Bushing	6TDD	consult factory			
9. Guide Assy.	6TDD	1220103		1220101	
10. Spring (2)	6TDD	Select From Spring Chart			
11. Top Washer	6TDD	0087652			
12. Bottom Washer	6TDD	0080076			
13. Compression Screw	6TDD	0089335			
CLASS IV					
14. Compression Retaining Ring	6TDD	0080303			
15. Compression Screw Lock Nut	6TDD	0079531			
16. Cap	6TDD	0078518			
17. Cap Set Screw	6TDD	0074562			
18. Release Nut	6TDD	0079745			
19. Top Lever	6TDD	0076813			
20. Drop Lever	6TDD	0076814			
21. Top Lever Pin	6TDD	2040105			
22. Drop Lever Pin	6TDD	0077236			

Note: (1) when replacing disc, locking pin, and disc lock nut must be replaced.

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST
Size and Type: 3" 1555 - 1556L

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
One Piece Solid or Three Piece Solid	1555	KIT1500L03	KIT1500L04		
Three Piece Thermodisc	1556	KIT1500L05	KIT1500L06		
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree Thermodisc (1)	6TDD	4385001			
2. Disc Locking Pin	6TDD	0085874			
3. Disc Lock Nut	6TDD	0085873			
4. Disc Holder	6TDD	0091909	0087180		
5. Adj. Ring Pin	6TDD	0081195			
CLASS II					
6. Spindle Assy.					
6a. Spindle Assy. (1555)	6TDD	0088302			
6b. Spindle Assy. (1556)	6TDD	0088301			
7. Adj. Ring	6TDD	0091916	0081400		
CLASS III					
10. Seat Bushing	6TDD	consult factory			
11. Guide Assy.	6TDD	0091909	0087180		
12. Spring (2)	6TDD	Select From Spring Chart			
13. Top Washer (1555)	6TDD	0087654			
14. Bottom Washer (1555)	6TDD	0087655			
15. Top Washer (1556)	6TDD	0087656			
16. Bottom Washer (1556)	6TDD	0087657			
17. Compression Screw	6TDD	0081819			
CLASS IV					
18. Compression Retaining Ring	6TDD	0078134			
19. Compression Screw Lock Nut	6TDD	0080278			
20. Cap	6TDD	0079408			
21. Cap Set Screw	6TDD	0074562			
22. Release Nut	6TDD	0080279			
23. Top Lever	6TDD	0069464			
24. Drop Lever	6TDD	0069466			
25. Top Lever Pin	6TDD	0051034			
26. Drop Lever Pin	6TDD	0069517			

Note: (1) replacement of disc requires disc lock nut and locking pin
 Note: (2) must be purchased with washers

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 2" 1557G - 1500# Design

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat Three Piece Thermodisc					KIT1500G01
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree Thermodisc (1)	6TDD				4384901
1a. Disc Locking Pin	6TDD				0087480
1b. Disc Nut	6TDD				consult factory
2. Disc Holder	6TDD				consult factory
3. Adj. Ring Pin	6TDD				0086077
CLASS II					
4. Spindle Assy.	6TDD	0088105			0087620
5. Adj. Ring	6TDD	0091914			0080282
CLASS III					
6. Seat Bushing	6TDD				consult factory
7. Floating Washer	6TDD				0092011
8. Disc Guide Assy.	6TDD		1220901		1220902
9. Spring (2)	6TDD				Select From Spring Chart
10. Top Washer	6TDD				0087650
11. Bottom Washer	6TDD				0087651
12. Compression Screw	6TDD				0089334
CLASS IV					
13. Compression Retaining Ring	6TDD				0080607
14. Compression Screw Lock Nut	6TDD		0079530		0079583
15. Cap	6TDD				0076752
16. Cap Set Screw	6TDD				0074562
17. Release Nut	6TDD				0081438
18. Top Lever	6TDD				0076812
19. Drop Lever	6TDD				0076837
20. Top Lever Pin	6TDD				2040105
21. Drop Lever	6TDD				0077236

Note: (1) replacement of disc requires disc lock nut and locking pin

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 2" 1557H - 1200# Design

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500H02			
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree Thermodisc (1)	6TDD	4384701			
1a. Disc Locking Pin	6TDD	0084825			
1b. Disc Lift Nut	6TDD	0087175			
2. Disc Holder	6TDD	0091907			
3. Adj. Ring Pin	6TDD	0082854			
CLASS II					
4. Spindle Assy.	6TDD	0086065	0087623		
5. Adj. Ring	6TDD	0091915	0080609		
6. Seat Bushing	6TDD	0085822			
CLASS III					
7. Lock Pin	6TDD	0084825			
8. Dowel Pin	6TDD	0086164			
9. Floating Washer	6TDD	0092012			
10. Disc Guide Assy.	6TDD	1220803	1220802		
11. Spring (2)	6TDD	Select From Spring Chart -			
12. Top Washer	6TDD	0087652			
13. Bottom Washer	6TDD	0080076			
14. Compression Screw	6TDD	0089335			
CLASS IV					
15. Compression Retaining Ring	6TDD	0080303			
16. Compression Screw Lock Nut	6TDD	0079531			
17. Cap	6TDD	0078518			
18. Cap Set Screw	6TDD	0074562			
19. Release Nut	6TDD	0079745			
20. Top Lever	6TDD	0076813			
21. Drop Lever	6TDD	0076814			
22. Top Lever Pin	6TDD	2040105			
23. Drop Lever	6TDD	0077236			

Note: (1) replacement of disc requires a disc lift nut and locking pin

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST
Size and Type: 2-1/2" 1557H - 1500# Design

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat Three Piece Thermodisc					KIT1500H02
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree thermodisc (1)	6TDD				4384701
1a. Disc locking pin	6TDD				0084825
1b. Disc Lift Nut	6TDD				0087175
2. Disc Holder	6TDD				0091907
3. Adjusting Ring Pin	6TDD				0082854
CLASS II					
4. Spindle Assy.	6TDD	0086065			0087623
5. Adj. Ring	6TDD	0091915			0080609
CLASS III					
6. Seat Bushing	6TDD				consult factory
8. Dowel Pin	6TDD				0086164
9. Floating Washer	6TDD				0092012
10. Guide Assy.	6TDD		1220803		1220802
11. Spring (2)	6TDD				Select From Spring Chart
12. Top Washer	6TDD				0087652
13. Bottom Washer	6TDD				0080076
14. Compression Screw	6TDD				0089335
CLASS IV					
15. Compression Retaining Ring	6TDD				0080303
16. Compression Screw Lock Nut	6TDD				0079531
17. Cap	6TDD				0078518
18. Cap Set Screw	6TDD				0074562
19. Release Nut	6TDD				0079745
20. Top Lever	6TDD				0076813
21. Drop Lever	6TDD				0076814
22. Top Lever Pin	6TDD				2040105
23. Drop Lever	6TDD				0077236

Note: (1) disc replacement requires disc lift nut and locking pin

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST**Size and Type: 2-1/2" 1557J - 1200# Design**

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500J03		KIT1500J04	
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree thermodisc (1)	6TDD			4384801	
1a. Disc Locking Pin	6TDD			0084825	
1b. Disc Lock Nut	6TDD			0086636	
2. Disc Holder	6TDD			0091906	
3. Adj. Ring Pin	6TDD			0078132	
CLASS II					
4. Spindle Assy.	6TDD	0085075		0087624	
5. Adj. Ring	6TDD	0091917		0080959	
CLASS III					
6. Seat Bushing	6TDD	consult factory			
8. Guide Assy.	6TDD	1221002		1221101	
9. Spring (See Note (2) Below)	6TDD	Select From Spring Chart			
10. Top Washer	6TDD			0087654	
11. Bottom Washer	6TDD			0087655	
12. Compression Screw	6TDD			0081819	
CLASS IV					
13. Compression Retaining Ring	6TDD			0078134	
14. Compression Screw Lock Nut	6TDD			0080278	
15. Cap	6TDD			0079408	
16. Cap Set Screw	6TDD			0074562	
17. Release Nut	6TDD			0080279	
18. Top Lever	6TDD			0069464	
19. Drop Lever	6TDD			0069466	
20. Top Lever Pin	6TDD			0051034	
21. Drop Lever	6TDD			0069517	

Note: (1) disc replacement requires disc lift nut and locking pin

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 3" 1557J - 1500# Design

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500J03		KIT1500J04	
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree thermodisc (1)	6TDD			4384801	
1a. Disc Locking Pin	6TDD			0084825	
1b. Disc Lock Nut	6TDD			0086636	
2. Disc Holder	6TDD			0091906	
3. Adj. Ring Pin	6TDD			0078132	
CLASS II					
4. Spindle Assy.	6TDD	0085075		0087624	
5. Adj. Ring	6TDD	0091917		0080959	
6. Seat Bushing	6TDD			0085840	
CLASS III					
7. Lock Pin				0084825	
8. Disc Guide Assy.	6TDD	1221002		1221101	
9. Spring (See Note (2) Below)	6TDD	Select From Spring Chart			
10. Top Washer	6TDD			0087654	
11. Bottom Washer	6TDD			0087655	
12. Compression Screw	6TDD			0081819	
CLASS IV					
13. Compression Retaining Ring	6TDD			0078134	
14. Compression Screw Lock Nut	6TDD			0080278	
15. Cap	6TDD			0079408	
16. Cap Set Screw	6TDD			0074562	
17. Release Nut	6TDD			0080279	
18. Top Lever	6TDD			0069464	
19. Drop Lever	6TDD			0069466	
20. Top Lever Pin	6TDD			0051034	
21. Drop Lever	6TDD			0069517	

Note: (1) disc replacement requires disc lift nut and locking pin

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 3" 1557K - 1200# Design

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500K01		KIT1500K02	
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree thermodisc (1)	6TDD			4384901	
1a. Disc Locking Pin	6TDD			0085869	
1b. Disc Lock Nut	6TDD			0085868	
2. Disc Holder	6TDD			0091940	
3. Adj. Ring Pin	6TDD			0080301	
CLASS II					
4. Spindle Assy.	6TDD	0085879		0087625	
5. Adj. Ring	6TDD	0080299		0080300	
6. Seat Bushing	6TDD			consult factory	
CLASS III					
7. Lock Pin	6TDD			0085869	
8. Disc Guide Assy.	6TDD	1221202		1221301	
9. Spring (2)	6TDD			Select From Spring Chart	
10. Top Washer	6TDD			0087654	
11. Bottom Washer	6TDD			0087655	
12. Compression Screw	6TDD			0081819	
CLASS IV					
13. Compression Retaining Ring	6TDD			0084482	
14. Compression Screw Lock Nut	6TDD			0080278	
15. Cap	6TDD			0079408	
16. Cap Set Screw	6TDD			0074562	
17. Release Nut	6TDD			0080279	
18. Top Lever	6TDD			0069464	
19. Drop Lever	6TDD			0069466	
20. Top Lever Pin	6TDD			0051034	
21. Drop Lever	6TDD			0069517	

Note: (1) disc replacement requires disc lift nut and locking pin

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 3" 1558H

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500H02			
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 deg Thermodisc (1)	6TDD	4384701			
1a. Disc Locking Pin	6TDD	0083556			
1b. Disc Nut	6TDD	0087175	CONSULT FACTORY		
2. Disc Holder	6TDD	0091907			
3. Adj. Ring Pin	6TDD	0082854			
CLASS II					
4. Spindle Assy.	6TDD	0086145	0087626		
5. Adj. Ring	6TDD	0091915	0080609		
CLASS III					
6. Seat Bushing	6TDD	consult factory			
7. Floating Washer	6TDD	0092012			
8. Dowel Pin	6TDD	0086164			
9. Guide Assy	6TDD	0091938	1220802		
10. Spring (2)	6TDD	Select From Spring Chart			
11. Top Washer	6TDD	0087652			
12. Bottom Washer	6TDD	0080076			
13. Compression Screw	6TDD	0089335			
CLASS IV					
14. Compression Retaining Ring	6TDD	0080303			
15. Compression Screw Lock Nut	6TDD	0079718			
16. Cap	6TDD	0078518			
17. Cap Set Screw	6TDD	0074562			
18. Release Nut	6TDD	0079745			
19. Top Lever	6TDD	0076813			
20. Drop Lever	6TDD	0076814			
21. Top Lever Pin	6TDD	2040105			
22. Drop Lever	6TDD	0077236			

NOTE: (1) When replacing disc, locking pin and disc nut must be replaced too.

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 4" 1557L - 1200# Design

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500L01		KIT1500L02	
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 degree thermodisc	6TDD			4385001	
1a. Disc Locking Pin	6TDD			0085874	
1b. Disc Lift Nut	6TDD			0085873	
2. Disc Holder	6TDD			consult factory	
3. Adj. Ring Pin	6TDD			0081195	
CLASS II					
4. Spindle Assy.	6TDD	0085881		0088301	
5. Adj. Ring	6TDD	0091916		0081400	
6. Seat Bushing	6TDD			consult factory	
CLASS III					
7. Disc Guide Assy.	6TDD		1220202		1220301
8. Spring (2)	6TDD		Select From Spring Chart		
9. Top Washer	6TDD			0087747	
10. Bottom Washer	6TDD			0087661	
11. Compression Screw	6TDD			0081819	
CLASS IV					
12. Compression Retaining Ring	6TDD			0078134	
13. Compression Screw Lock Nut	6TDD			0080278	
14. Cap	6TDD			0079408	
15. Cap Set Screw	6TDD			0074562	
16. Release Nut	6TDD			0080279	
17. Top Lever	6TDD			0069464	
18. Drop Lever	6TDD			0069466	
19. Top Lever Pin	6TDD			0051034	
20. Drop Lever	6TDD			0069517	

NOTE: (1) When replacing disc, locking pin and disc nut must be replaced too.

Note: (2) Spring must be purchased with Fitted Washers:

SAFETY VALVE SPARE PARTS REFERENCE LIST

Size and Type: 4" 1558J

PART DESCRIPTION	DESIGN	Temperature Class			
		A	B	C	D
		PART NO.	PART NO.	PART NO.	PART NO.
Retrofit Kit to 60 degree seat					
Three Piece Thermodisc		KIT1500J03		KIT1500J04	
the above kits are available only thru authorized Dresser Factory Service or its Green Tag Centers and must be installed by them					
CLASS I					
1. 60 deg Thermodisc (1)	6TDD			4384701	
1a. Disc Locking Pin	6TDD			0083556	
1b. Disc Nut	6TDD			0087175	
2. Disc Holder	6TDD	0091907		CONSULT FACTORY	
3. Adj. Ring Pin	6TDD			0081452	
CLASS II					
4. Spindle Assy.	6TDD	0085460		0087627	
5. Adj. Ring	6TDD	0091917		0080959	
6. Seat Bushing	6TDD			0085843	
CLASS III					
7. Disc Guide Assy.	6TDD	1737201		1796401	
8. Spring (2)	6TDD			Select From Spring Chart	
9. Top Washer	6TDD			0087747	
10. Bottom Washer	6TDD			0087661	
11. Compression Screw	6TDD			0081819	
CLASS IV					
12. Compression Retaining Ring	6TDD			0078134	
13. Compression Screw Lock Nut	6TDD			0080278	
14. Cap	6TDD			0079408	
15. Cap Set Screw	6TDD			0074562	
16. Release Nut	6TDD			0080279	
17. Top Lever	6TDD			0069464	
18. Drop Lever	6TDD			0069466	
19. Top Lever Pin	6TDD			0051034	
20. Drop Lever	6TDD			0069517	

NOTE: (1) When replacing disc, locking pin and disc nut must be replaced too.

Note: (2) Spring must be purchased with Fitted Washers: